

~~REDLINE~~ INDUSTRIAL STEEL CATALOG



STAINLESS
STEEL
PRODUCTS

Stainless Steel Products

Welded Pipe

- ASTM: A312
 - Grades: 304/L and 316/L
 - Sizes: 1/4" thru 36"
 - Schedules: 10s, 20s, 40s, 80s
-

Seamless Pipe

- ASTM: A312
 - Grades: 304/L and 316/L
 - Sizes: 1/4" thru 20"
 - Schedules: 10s, 40s, 80s, 160s, and XXH, True 40, True 80
-

Flanges

- ASTM A182
 - Grades 304/L and 316/L
 - Sizes 1/4" Thru 24"
 - Pressure Rating : 150#, 300#, 600#, and 1500#
 - Weld Neck, Slip-On, Blind, Lap-Joint, Socketweld, and Threaded
-

Welded & Seamless Buttwelded Fittings

- ASTM A403WPW, A403WPX, A403WPS
 - Grades 304/L and 316/L
 - Sizes 1/4" Thru 24"
 - Schedules Sch10s, Sch40s and Sch80s, 160
 - LR 90, SR 90, 45, Tee, Red. Tee, Caps, Concentric and Eccentric Reducer
 - MSS Type A and Type C Stub Ends
-

3000 LB Forged Fittings

- ASTM A182
- Grades 304/L and 316/L
- Sizes 1/4" Thru 4"
- Threaded and Socket Weld
- 90, 45, ST. 90, Coupling, Half Coupling, Reducing Coupling, Hex Bushing, Square and Hex Plug, Union, Cross, Cap, Tee, O-Lets

Stainless Steel Products

150 LB Cast Fittings

- Grades 304 and 316
 - Sizes 1/4" Thru 6" Threaded
 - 90, 45, ST. 90, Coupling, Half Coupling, Reducing Coupling, Hex Bushing, Square and Hex Plug, Union, Cross, Cap, Tee
-

Branch Connections

- ASTM A182
 - Sizes 1/2" Thru 2"
 - Schedules 40s and Sch 80s
 - 3000#, 6000#, Buttweld, Socketweld and Threaded
-

Machine Shop Specialties

- Flat facing flanges
 - Reducing flanges
 - Straight boring flanges
 - Taper boring flanges
 - Stub end modifications
 - Taper bored weld fittings
 - Cutting pipe
 - Grooving pipe
 - Threading pipe
 - Beveling pipe
 - Special nipples
-

Additional Services

- PMI In-House
- X-Ray

REDLINE

INDUSTRIAL

STEEL

CATALOG



CARBON
STEEL
PRODUCTS

Carbon Steel Products

Welded Carbon Pipe

- A53 Grade A, API5L Grade B, API5L Grade B /X42/ X52/ X60/ X65, PSL-1, PSL-2
 - Sizes 1/2" - 48" Sch. 10, STD and XH
 - Single Random and Double Random Lengths
-

Seamless Carbon Pipe

- ASTM A 53 Grade B, ASTM A 106 Grade B/C, API5L Grade B, API5L Grade B/ X42/ X52/ X60/ X65, ASTM A333 Grade 1/6, ASME, NACE MRO175
 - Sizes 1/8" - 26" Single Random and Double Random Lengths
 - Schedules Sch. 20 - Through XXH, with XXXH in 2-1/2" and 3"
-

End Finish/Coating

- Black Plain End
 - Galvanized Plain End
 - Threaded and Coupled (Black & Galvanized)
 - Victaulic Grooved
 - Coated and Wrapped
 - Blasted and Primed (O.D. & I.D.)
 - Cement Lined
 - Concrete Coated
 - Fusion Bond Epoxy
 - Pickled and Oiled
 - Zap-Lok
-

Low Temp

- 1/2" - 24" A350 LF-2 Flanges
- 1/2" - 24" A420 WPL-6 Fittings
- 1/2" - 2" A350 LF2 Pressure Fittings THD & SW